



**City of Cambridge, Massachusetts**


**Department of Public Works**

147 Hampshire Street • Cambridge, MA 02139

# **APPENDIX C DRAFT TMDL Information**

January 2008

Version 1/21/08



Report Prepared By:

**Cambridge Department of Public Works and**

**Malcolm Pirnie, Inc.**

601 Edgewater Drive

Suite 360

Wakefield, MA 01880

781-224-4488

DRAFT

---

**PAGE INTENTIONALLY LEFT BLANK**

This is nonprinting text.

DO NOT DELETE THIS TEXT OR THE SECTION BREAK THAT FOLLOWS

(Click ¶ button on Formatting toolbar to display section breaks)

DRAFT

## C. Total Maximum Daily Loads Information

---

**Charles River Watershed** As of the date of this document, two TMDLs have been set for the Charles River Watershed.

- Final Phosphorus TMDL for the Lower Charles River Basin
- Final Pathogen TMDL for the Charles River Watershed

For the most updated information on TMDLs for the Charles River Watershed, please visit: <http://www.mass.gov/dep/water/resources/tmdls.htm#charles>

The BMP treatment trains outlined in this Guidance Manual utilize suggested BMPs for mitigating pathogen and nutrient control.

**Mystic River Watershed** As of the date of this document, a draft TMDL has been developed for the Mystic River Watershed (which is part of the larger watershed area that drains to Boston Harbor).

- Draft Pathogen TMDL for Boston Harbor Watershed

For the most updated information on TMDLs for the Mystic River Watershed, please visit: <http://www.mass.gov/dep/water/resources/tmdls.htm#multiw>

This is nonprinting text.  
DO NOT DELETE THIS TEXT OR THE SECTION BREAK THAT FOLLOWS  
(Click ¶ button on Formatting toolbar to display section breaks)